



Door coordinator




SBJ001 UL fire rate 3H



SBJ002




SBJ003




MB01

SBJ004




SBJ005




Equipped with an adjustable override feature which allows the active door to close under extreme pressure.


Flush bolt




CMC001




CMC002




CMC003



CMC005




CMC006




CMC007



CMC004





## CMC008

### Automatic Flush Bolts-Metal Doors


Fully Automatic-inactive door is latched when active door closes, bolts retract when active door is opened.

Non-handed.

Bolts have 3/4" throw with a 7/8" vertical adjustment.

Standard Rod Length is 12", which is measured from the center of the flush bolt body to the bolt tip.

Optional rod lengths available for top bolt for 18", 24", 36" and 48".




## CMC108

Manual/Automatic Flush Bolt

Suit for steel fire rated metal door

Material: stainless steel 304

Finish: SSS, PVD



## CMC009

### Automatic Flush Bolts - Wood Doors

Fully Automatic- inactive door is latched when active door closes, bolts retract when active door is opened.

Non-handed.

Bolts have 3/4" throw with a 7/8" vertical adjustment.


## CMC109

Manual/Automatic Flush Bolt

Suit for steel fire rated wooden door

Material: stainless steel 304


Finish: SSS, PVD



## CDP001

Dust proof strike


For CMC001-007



## CDP002

Dust proof strike


For CMC008/009/108/109



Emergency release door stops


## EMD001 EMERGENCY RELEASE DOOR STOP

Allows double action door to operate as a single swing, when hung on pivots  
 Emergency access is gained by depressing the stop and pulling the door outward  
 Includes rubber insert for quieter action  
 Stop release resets automatically  
 Maintenance free  
 5 x 30 mm screws included  
 Grade 304 stainless steel




## EMD002 EMERGENCY RELEASE DOOR STOPS

Emergency release door stops allow double action doors to operate as a single swing door when hung on pivots.  
 Allows double action door to operate as a single swing, when hung on pivots  
 Emergency access is gained by depressing the stop and pulling the door outward  
 Includes hold back facility  
 Stop release resets automatically  
 Maintenance free  
 Plate has R8 corners  
 5 x 30 mm screws included  
 Grade 304 stainless steel







SS casting door stopper




CMD001




CMD002




CMD003



CMD004



CMD005



CMD006




CMD007




CMD008




CMD009




CMD010




CMD011



CMD012




CMD013




CMD014




CMD015



CMD016




CMD017




CMD018




CMD019




CMD020




CMD021




CMD022



CMD023




CMD024




CMD025




CMD026




CMD027




CMD028D




CMD028P




CMD029




CMD031




CMD032




CMD127




CMD128



CMD129



CMD130



CMD131