

2006

2012

2017

2024



Camax Hardware
Hardware manufacturer
Overseas market
ISO9001



Safeone Industries
Solution provider
Domestic market
ISO9001
ISO14001




Camax IST
Electrified products
Intelligent products
Security and safety system
With ESD clean workshop
ISO9001



Camax Precision
Hanging product
Invisible hinge
Pivot
CNC machining center

What we do: Focus on Security and Safety

R&D and manufacturer
Mechanism products
Electrical and electronic products
Security and safety system



Business Processes

Compliance



Quality Control



ISO9001



TS16949

Product Performance Compliance and Certificates



 Intertek Testing & Certification Ltd.
London House, Crown Point
Leamford Road, Lutterworth, Leicestershire, LE17 76X
United Kingdom

Phone: +44 (0) 1572 375000
Fax: +44 (0) 1572 375009
Email: info@intertek.co.uk
Website: www.intertek.co.uk

EC CERTIFICATE OF CONFORMITY

389-CO-0063

In compliance with the Directive 89/100/EEC of the Council of European Communities of 11 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), and the European Standard EN 12539-1:2003 of the CEN of European Communities of 22 July 1993, it has been stated that the construction product:

CMPSHIRE Stone Panels Exit Device

Product Classification									
3	2	1	0	1	2	3	4	5	6
									A/C

Intertek uses Procedures across documents including fire and smoke doors

Particular on the certificate including Use including fire and smoke doors

Placed on the market by: **JANBENEN CHINA HARDWARE CO. LTD.**
Registered Address: No. 173, JANBENEN ROAD, 52000, ANKONG, CHINA

Authorized by the factory No. 173, JANBENEN ROAD, 52000, ANKONG, CHINA

It is certified by the manufacturer by a written declaration and by the further holding of samples taken in the factory in accordance with a pretested test plan and that the notified body No. 0259-1-01 Intertek Testing & Certification Ltd. has carried out the necessary checks for the relevant characteristics of the product, the initial inspection of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.


This certificate attests that all provisions concerning the selection of conformity and the product performance described in Annex A of the product standards:

EN 12538-2008

This certification was issued on 04 April 2011 and remains valid as long as the conditions stated down in the harmonized technical specification states, the product design and the manufacturing conditions are the same, or in the CPD text are not mutually significant and stated on: **04 April 2016**

Jerry Gaspale
Director

[illegible][illegible]

Inspection equipment

Material test devices



Finish test devices




Dimension measuring devices



Test devices for trims, lever handles, security plates, pull handles, window handles



Test devices for exit devices, door coordinators




Test devices for ANSI/Euro mortise locks



Test devices for pivots, hinges



Test devices for cylinders



CONTENT

I . Mechanism products

1. Panic exit devices

1.1 Touch bar exit devices

1.1.1 CMP000 series, UL	1-1
1.1.2 CMP400 series, UL and CE	1-2,1-3
1.1.3 Accessories for CMP000/400/500/600/800 series	1-4
1.1.4 CMP450 series, UL	1-5,1-6
1.1.5 CMP462 mortise lock+vertical lock	1-7
1.1.6 CMP466/463, concealed, UL	1-8
1.1.7 CMP750 series, narrow stile	1-9,1-10
1.1.8 CMP766/763, concealed, narrow stile	1-11
1.1.9 Accessories for CMP450/750 series	1-12
1.1.10 CMP600 series	1-13,1-14
1.1.11 CMP650 series, narrow stiles	1-15,1-16
1.1.12 CMP666, concealed, narrow stiles	1-17
1.1.13 CMP800 series, narrow stiles	1-18
1.1.14 CMP955, full touch bar only	1-19

1.2 Cross bar/push bar exit devices

1.2.1 CMP341, with mortise lock	1-20
1.2.2 CMP350 series, narrow stile, CE	1-21
1.2.3 CMP366, concealed, narrow stile, CE	1-22
1.2.4 CMP500 series, CE	1-23,1-24
1.2.5 CMP550 series, narrow stile	1-25,1-26
1.2.5 CMP566, concealed, narrow stile	1-27

1.3 Glass door panic devices

1.3.1 CGP400 series	1-28
---------------------	------

1.4 Emergency exit devices

1.4.1 CMP571/576	1-29
1.4.2 CMP376, concealed	1-29

1.5 Locks for exit devices

1.5.1 72-65PC/PT/PA	1-30
1.5.2 72-65PL/DA/DP	1-31
1.5.3 72-60/65TR/TF	1-32
1.5.4 72-60/65LR/FR/CR	1-33
1.5.5 30-92TR	1-34
1.5.6 30-92CR	1-34
1.5.7 CV01, concealed vertical lock	1-35

1.6 Trims

1.6.1 CMPA004/004B/005/014/104	1-36
1.6.2 CMPA008/010	1-37
1.6.3 CMPA012/112/212/801	1-38
1.6.4 CMPA401/410	1-39
1.6.5 CMPA420	1-40
1.6.6 CMPA430	1-41
1.6.7 CMPA450	1-42
1.6.8 CMPA750	1-43
1.6.9 CMPA001/009/015, EP02	1-44

2. ANSI Commercial mortise locks	
2.1 CML800	2-1,2-4
2.2 CML816D, deadbolt	2-5
2.3 CML816L, for sliding doors	2-5
2.4 Levers and escutchoens	2-6
2.5 Thumbturns and indicators	2-7
2.6 Cylinders and rings	2-8
3. Push and pull pads	
3.1 HPP100 push/pull latch	3-1
3.2 HPP110 push/pull privacy cylindrical latch	3-1
3.3 ML70-1 cylindrical latch	3-2
3.4 HPP100 with ANSI mortise lock body	3-2,3-3
4. Residential entrance mortise locks	
4.1 CML890	4-1
5. Soundproof locks	
5.1 GT2000/2002/SF	5-1,5-2
6. European profile mortise locks	
6.1 Locks for wooden and metal doors	
6.1.1 72-55/60/65A Sash lock	6-1
6.1.2 78-55/60/65WC Bathroom lock	6-1
6.1.3 72-55/60/65L Latchbolt	6-2
6.1.4 72-55/60/65D Deadbolt	6-2
6.1.5 72-60F Night latch	6-3
6.1.6 72-60/65C Classroom lock	6-3
6.1.7 72-60/65T Exit lock	6-4
6.1.8 72-60/65TA Exit lock with anti-thrust	6-4
6.1.9 72-55/60/65TF Automatic deadbolt locking	6-5
6.1.10 72-55/60/65P Roller lock	6-5
6.1.11 85-55/60A Sash lock	6-6
6.1.12 Lock with silent latch	6-6
6.1.13 Lock with anti-friction latch	6-7
6.1.14 Lock with magnetic latch	6-7
6.1.15 55/60D Deadbolt	6-8
6.1.16 55L Latchbolt fire-rated lock	6-8
6.1.17 55P Roller latch	6-9
6.2 Narrow stile locks	
6.2.1 30-92TR, exit lock	6-10
6.2.2 30-92CR, classroom lock	6-10
6.2.3 30-85/92A, 35-85/92A, sash lock	6-11
6.2.4 30-85/92L, 35-85/92L, latchbolt	6-11
6.2.5 30-85/92D, 35-85/92D, deadbolt	6-12
6.2.6 30-85/92P, 35-85/92P, roller latch	6-12
6.3 Strikes and cylinders	
6.3.1 Strikes	6-13
6.3.2 Cylinders and keying	6-14

7. EN door furniture and fixings	
7.1 EN1906 grade 4 and fire-rated certificate	7-1,7-2
7.2 EN1906 grade 3 and fire-rated certificate	7-3,7-4
7.3 Crank handles for narrow-stile doors	7-5
7.4 Solid handles	7-6,7-15
7.5 Welding hollow handles	7-16
7.6 Tubular handles	7-17
7.7 Knobs	7-18
7.8 Thumbturns	7-19
7.9 Roses and escutcheons	7-20,7-25
7.10 Backplates	7-26
7.11 Spindles and sleeves	7-27
8. Window handles and cross bars	
8.1 Without cylinder	8-1
8.2 With cylinder, TBT, button to unlock	8-1
8.3 Push rods for parallel opening window	8-2
9. Pull handles	
9.1 Solid pull handles	9-1,9-2
9.2 Hollow pull handles	9-3,9-7
9.3 Fixings	9-8
10. Invisible and adjustable hinges	
10.1 CHS001/002/003/004, concealed	10-1
10.2 CHS300, adjustable 3D hinge, concealed	10-2
10.3 CHS310, adjustable 3D hinge, concealed	10-3
10.4 CHS320, adjustable 3D hinge, concealed	10-4
10.5 CHS340, adjustable 3D hinge, concealed	10-5
10.6 CHS350, adjustable 3D hinge, concealed	10-6
10.7 CHS430, adjustable 3D hinge, concealed	10-7
10.8 SU800, adjustable 2D hinge, surface mounted	10-8
11. Pivot and butt hinges	
11.1 ADL120, center hung pivot	11-1
11.2 ADL250, center hung pivot	11-1
11.3 ADL500-FL	11-1
11.3 AD200, offset pivot	11-2
11.4 AD300, offset pivot	11-3
11.5 AD500, offset pivot	11-4
12. Butt hinges	
12.1 Butt hinges, UL and CE certificate	12-1
13. Door coordinators	
13.1 SBJ001/002/003/004/005	13-1
13.2 Mounting bracket, MB01	13-1

14. Flush bolts	
14.1 CMC001/002/003/004/005/006/007, manual	14-1
14.2 CMC008, automatic flush bolt, metal door	14-2
14.3 CMC108, manual/automatic flush bolt, metal door	14-2
14.4 CMC009, automatic flush bolt, wood door	14-3
14.5 CMC109, manual/automatic flush bolt, wood door	14-3
14.6 CDP001/002, dust-proof strike	14-3
15 Emergency release door stops	
15.1 EMD001	15-1
15.2 EMD002, hold back	15-1
16. Door stoppers	16-1,16-2
II. Electrical products and systems	
17. Electrified exit devices and electrical trims	
17.1 DJA, Standalone alarm, ignition lock	17-1
17.2 DJB, Standalone alarm, ANSI cylinder	17-1
17.3 DJC, Online alarm, ANSI cylinder	17-1
17.4 ELR, Automatic electrical latch retraction	17-2
17.5 MLR, Automatic motorized latch retraction	17-3
17.6 ED, Electric dogging	17-4
17.7 DE, Delay egress	17-5
17.8 CMPA410-TD, electrical trim	17-6
17.9 CMPA420-TD, electrical trim	17-6
17.10 CMPA430-TD, electrical trim	17-6
18. ANSI electrified mortise locks and trims	
18.1 CML850, ANSI electrified mortise lock-Solenoid	18-1
18.2 CML855, ANSI electrified mortise lock-Solenoid (with deabolt)	18-2,18-4
18.3 CML860, ANSI electrified mortise lock-Motor	18-5
18.4 ES1-TD, electrical trim for ANSI mortise locks	18-6
19. Euro profile electrified mortise locks	
19.1 72-60TD, EN electrified auto-locking mortise lock-Solenoid	19-1,19-2
19.2 72-60TM, EN electrified mortise lock-Motor	19-3
19.3 72-60TMB, EN electrified mortise lock-Motor	19-4
19.4 72-60TMC, EN electrified auto-locking mortise lock-Motor	19-5
19.5 40TDA, EN electrified mortise lock-Solenoid	19-6
19.6 40TDB, EN electrified mortise lock-Solenoid	19-6
19.7 45D-TM, EN electrified auto-locking mortise lock-Motor	19-7
20. Electronic locks	
20.1 wLock20, wireless lock	20-1
20.2 ELC-XX wireless electronic lock modular	20-2,20-2
21. Hub and access control boxes	
21.1 AC-100, hub and access control box	21-1
21.2 MB-100, mini hub	21-1
21.3 ASPC-100, single door access control unit	21-2
21.4 ASPC-200, access control box	21-2

22. Encoders and card readers	
22.1 DE301, reader	22-1
22.2 DE302, reader with key pad	22-2
22.3 WCR-100, reader with key pad	22-3
22.4 EN-BW-01, encoder	22-3
23. Power transfer devices	23-1
24. Electromagnetic locks and electric strikes	24-1
25. SeconeBSS integrated access control & video management solutions	25-1,25-7
26. Hotel locks and accessories (OEM)	26-1

