



Tubular Handles




CMHP001




CMHP002




CMHP003




CMHP004




CMHP005




CMHP006




CMHP007




CMHP008




CMHP009




CMHP010




CMHP011




CMHP012




CMHP013




CMHP014




CMHP015




CMHP016




CMHP017




CMHP030



CMHP031



CMHP018




Knobs


Stainless steel knobs




CMH031 Mercury




CMH033 Mars




CMH034 Venus





CMH035 Jupiter




CMH092 Nova




CMH095 Libra




CMH106 Neutron




CMH116 Pisces



CMH143 Knobby




CMH152 Piepieny




CMH154 Founder




CMH155 Roundaka




CMH168 Formalizar




CMH606 Oven
















CMH608 Space Turn



CMH619 Ursa



Thumbturns



Roses and Escutcheons

Stamping round rose and escutcheon

Clip type



Fixing screw is invisible

The distance of fixing hole is 38mm


Available in heights of 10mm, 8mm, 6.5mm, and 5mm

Not work for all handles


Model	Height	C/C	Type of Operation
RR06, ER06	9.5	38	Spring-loaded
RR80, ER80	8	38	Spring-loaded
RR05, ER05	6.5	38	Spring-loaded
RR40, ER40	4	38	Unsprung




RR06



RR06A



ER06



BR06A

Stamping square rose and escutcheon

Clip type


Fixing screw is invisible

The distance of fixing hole is 38mm


10mm height

Not work for all handles


Model	Height	C/C	Type of Operation
RS03, ES03	10	38	Spring-loaded




RS03




RR06A



ES03



BR06A



Casting round rose and escutcheon

Thread type


Fixing screw is invisible

The distance of fixing hole is 41mm

Available in heights of 10mm, 8mm

Not work for all handles

Model	Height	C/C	Type of Operation
RR04, ER04	10	41	Spring-loaded
RR08, ER08	8	41	Spring-loaded



RR04



ER04

2pcs Casting square rose and escutcheon

Thread type

Spring-loaded



Fixing screw is invisible

The distance of fixing hole is 41mm


10mm height

Not work for all handles


Model	Height	C/C	Type of Operation
RR62, ER62	10	41	Spring-loaded



RS62



ER62



1pcs casting square rose and escutcheon

1 piece, casting


Fixing screw is visible

The distance of fixing hole is 41mm

10mm height

Not work for all handles

Model	Height	C/C	Type of Operation
RS13, ES13	10	41	Spring-loaded
Rs09, ES09	10	38	Spring-loaded




Outside RS13 Inside




Outside ES13 Inside


Cylinder Pull




EP01



EP02





EP03



Omnipotent round rose RR08

Thread type, casting
Spring-loaded
Fixing screw is invisible
the distance of fixing hole is 41mm
10mm height
Works for all handles

Model	Height	C/C	Type of Operation
RR08	10	41	Spring-loaded
RR09	10	38	Spring-loaded





RR08


Omnipotent square rose RS08

Thread type
Spring-loaded
Fixing screw is invisible
The distance of fixing hole is 41mm
10mm height
Works for all handles

Model	Height	C/C	Type of Operation
RS08	10	41	Spring-loaded



RS08



ES08

Slim style round rose

3mm height


Clip type

Spring-loaded

Fixing screw is invisible

the distance of fixing hole is 38mm


Works for all handles



Model	Height	C/C	Type of Operation
RR30,ER30	3	38	Spring-loaded



RR30



Slim style square rose

3mm height


Clip type, stamping

Spring-loaded


Fixing screws are invisible

the distance of fixing hole is 38mm


Works for all handles



Model	Height	C/C	Type of Operation
RS30,ES30	3	38	Spring-loaded



RS30



Ball bearing round rose and escutcheon

Clip type


Fixing screw is invisible

The distance of fixing hole is 38mm


8mm height

Not work for all handles


Model	Height	C/C	Type of Operation
RR08B,ER08	8	38	Ball bearing




RR08B



RR08BA



ER08



ER08A

Ball bearing squarerose and escutcheon

Clip type



Fixing screw is invisible

The distance of fixing hole is 38mm


8mm height

Not work for all handles


Model	Height	C/C	Type of Operation
RS08B,ES08	8	38	Ball bearing




RS08B



RS08BA




ES08




ES08A

Backplates


Stamping escutcheon plates




CMF050




CMF051




CMF052




CMF053




CMF054




CMF055




CMF057




CMF058




CMF008




CMF001



CMF004




CMF006




CMF007

Spindles and Sleeves


Spindles




Solid spindle





Slotted spindle




Slotted spindle



Eccentric hole spindle




Split spindle




Half spindle / One way spindle


Spindle sleeves




5 to 6
Steel




5 to 8
Aluminum



6 to 8
Steel




7 to 8
Steel




8 to 9
Steel

Window Handles and Cross Bars


Window handles without cylinder



CMW001



CMW002



CMW079


Window handles with cylinder

Compliance with EN13163-3:2011, 200NM

CMW3XX: Key to lock and unlock



CMW3XX-TBT: TBT function

CMW3XX-PB: Push button to unlock



CMW301

1. Key to lock and unlock;
2. Stainless steel 304
3. Finish: satin, polishing, PVD



CMW301-PB

1. Button to lock and unlock
2. Stainless steel 304
3. Finish: satin, polishing, PVD



CMW302



CMW303



CMW305




CMW306

CMW901 Push rod window handle


Application: parallel opening window

Material: stainless steel, steel


Finish: satin, PVD, black, white




Solid Pull Handles




CHC001




CHC002




CHC003




CHC004




CHC005




CHC006




CHC007




CHC008




CHC609




CHC610




CHC611



CHC612




CHC613




CHC614

Hollow Pull Handles




CHCP001

D	C	L	H	E
Ø38	400	800	80	103
Ø38	600	1000	80	103
Ø38	800	1200	80	103




CHCP002

D	C	L	H
Ø25	300	500	80




CHCP004

A	B	C	H
25	10	300	50
25	13	450	50
25	25	500	60
30	15	600	60
32	16	600	60
40	20	600	70
40	30	800	80




CHCP005

A	B	C	H
15	30	600	70
16	32	600	70
30	40	600	75




CHCP006

D	C	L	H	B
Ø25	300	400	70	Ø19
Ø30	350	500	80	Ø25
Ø30	800	1000	80	Ø25
Ø32	1000	1200	80	Ø25
Ø38	1500	1800	80	Ø25




CHCP007

A	B	C	E	H
25	38	1000	85	85




CHCP008

D	C	E	H
Ø30	350	210	80




CHCP009

D	C	H
Ø19	150	60
Ø19	300	60
Ø22	350	60
Ø25	450	65




CHCP010

D	C	H
Ø19	200	60
Ø22	300	60
Ø25	450	65
Ø30	600	80
Ø32	800	80
Ø38	1200	100




CHCP012

D	C	H
Ø19	300	60
Ø22	350	60
Ø25	450	65
Ø30	600	80
Ø32	800	80




CHCP020

A	B	C	L	H
40	10	300	450	62
40	10	400	550	62
40	20	300	450	72
40	20	400	550	72




CHCP030

A	B	C	H
30	15	300	70
30	15	450	70
40	20	500	75
40	20	800	75




CHCP031

D	E	C	H
Ø30	260	350	80




CHCP032

D	E	C	H
Ø25	130	300	70
Ø25	130	400	70
Ø32	140	450	80
Ø32	140	600	80




CHCP033

A	B	C	E	H
25	25	300	80	70
25	25	600	80	70
40	20	500	80	75




CHCP035

D	C1	C2	H
Ø19	200	500	70
Ø22	200	500	70
Ø25	300	600	75




CHCP041

D	C	L	H	B
32	300	500	70	25
32	400	600	70	25
32	500	800	70	25
32	600	1000	70	25
32	800	1200	70	25




CHCP042

D	C	L	H	B
32	300	500	70	25
32	400	600	70	25
32	500	800	70	25
32	600	1000	70	25
32	800	1200	70	25



CHCP601


D	C	H
Ø25	300	70
Ø30	400	70
Ø32	500	70




CHCP602

D1	D2	C	L	H
Ø16	Ø22	300	400	60
Ø16	Ø22	400	480	60
Ø16	Ø22	600	700	60


Door handle fixings




Glass door plastic kit



Round washer



Square washer



Sleeve

